



# HD Cleaner

General purpose degreaser, cleaner and sealer remover.

## DESCRIPTION

HD Cleaner is a general purpose degreaser and cleaner designed to remove grease, grime and dirt from a variety of surfaces such as metal, wood and concrete.

HD Cleaner may also be used to remove cured sealer coatings.

## ADVANTAGES

HD Cleaner delivers the following advantages;

- Fast acting.
- Rinsable with water.

## AREAS OF USE

HD Cleaner is suitable for use in the following areas;

- Degrease metal prior to priming.
- Degreasing of car engines.
- Degrease masonry surfaces prior to sealing.
- Paint brush restorer.
- Remove cured sealer coatings

## SUBSTRATES

HD Cleaner is suitable for application on;

- Concrete
- Exposed Aggregate Panels
- Steel
- Masonry

## TECHNICAL DATA (@ 25°C)

Coverage: (per coat) 10 - 12m<sup>2</sup>/L

Colour: Clear

Clean Up: Water

Shelf Life: 12 Months

## ANCILLARY PRODUCTS

- Crommelin<sup>®</sup> Contractor Membrane Applicator Brush – 100mm, 75mm

## APPLICATION

Full application instructions can be found at [www.crommelin.com.au/full-instructions/](http://www.crommelin.com.au/full-instructions/)

- Always test a small area of each surface to confirm suitability and desired results before starting overall application.
- Mechanically remove any large deposits of grease and dirt.
- Using a Crommelin<sup>®</sup> Contractor Membrane Brush or cloth apply HD Cleaner liberally to the area being treated.
- It is recommended to work in manageable areas of approximately 10-20m<sup>2</sup> at a time, particularly when working outdoors.
- Scrub the area to loosen any contaminants.
- After approximately 10 minutes, use fresh water, under pressure, to remove the degreaser. Rinse until all foaming has stopped.
- Inspect the treated area and repeat the procedure to any areas where contamination remains.
- Allow the substrate to dry thoroughly prior to sealing or painting.

# HD Cleaner

General purpose degreaser, cleaner and sealer remover.

---

## CLEAN UP

- Wash all equipment in warm water and a small amount of detergent immediately after use.

## PRECAUTIONS

- HD Cleaner will soften painted surfaces and some plastics.
- It is recommended to test the product on the substrate prior to doing the whole project.

## WARRANTIES

Please contact your Crommelin® representative, or the Crommelin® technical support team for detailed specifications applicable to your project and warranty requirements.

## TRANSPORT AND STORAGE

- Size: 15L
- Weight: 15kg
- DG Class: 3
- Flash Point: 13°C
- UN Number: N/A
- Cool and Dry Storage
- Poisons Schedule: 6
- Hazchem Code: 3(Y)

## SAFETY AND FIRST AID

HD Cleaner Safety Data Sheet is available from Crommelin® upon request.

### Safety

- Ensure good ventilation and avoid breathing vapours.
- Avoid skin and eye contact. Wear gloves and eye protection. Remove splashes on skin immediately and remove contaminated clothing.
- Keep out of reach of children.
- Keep container sealed when not in use.
- Do not swallow.

### First Aid

- If poisoning occurs, contact a doctor or poisons information centre: Ph. 13 11 26.
- If swallowed, do not induce vomiting. Give a glass of water to drink.
- If in eyes, hold eyes open and flood with water for at least 15 minutes.
- If not breathing, apply artificial respiration.

Crommelin® and other marks followed by ® are registered trademarks.

Any advice, recommendation, information, assistance or service provided by Crommelin® in relation to its products or their use is given in good faith, however is provided without responsibility or liability.

Customers need to undertake their own assessment to determine the suitability of a product for the intended use. As the performance of any product is subject to a wide variety of different surface types as well as environmental and surface-specific conditions, it is essential that a sample of the product be applied to the intended area of use to ensure it is acceptable in appearance and finish and that it performs as required on the specific surface.

Crommelin® also reserves the right to update information without prior notice, to reflect ongoing research and product development.



7 Day Technical Support 1800 655 711

72 Division Street, Welshpool Western Australia 6106 T +61 8 9458 5711 F +61 8 9451 4749  
service@crommelin.com.au www.crommelin.com.au