



LiquidStone Clear Coat

UV stable, moisture and weather resistant coating.

DESCRIPTION

Crommelin[®] LiquidStone Clear Coat is a water based coating, providing increased protection and aesthetics for the Crommelin LiquidStone range. The addition of a UV stable, moisture and weather resistant coating, will ensure maximum longevity of Crommelin LiquidStone products.

FEATURES AND BENEFITS

- Provides increased protection for LiquidStone products.
- Semi-gloss finish.

AREAS OF USE

LiquidStone Clear Coat is suitable for use:

- As a protective over-coat to Liquidstone Colour.

SUITABLE SUBSTRATES

LiquidStone Clear Coat is suitable for use on the following surfaces:

- Those coated with LiquidStone Colour.

APPLICATION TOOLS

- Crommelin[®] Contractor Membrane Applicator Brush –75mm.
- LiquidStone Clear Coat is best applied using either a medium bristle brush or small medium nap roller.

SURFACE PREPARATION

Full surface preparation instructions can be found at www.crommelin.com.au/full-instructions/

- Allow LiquidStone Colour to dry and cure for 7 days prior to top coating.
- After 7 days, brush surface with soft brush to remove any contaminants or loose material.

PRODUCT PREPARATION

- **LiquidStone Clear Coat** is ready to use, simply stir well prior to application.

APPLICATION CONDITIONS

- Do not apply if surface/ambient temperatures are too high or too low. Recommended application temperature range 10^oc - 35^oc.
- Do not apply if humidity is too high, or likely to be during the initial cure phase. Maximum recommended humidity during application and cure is 85%.
- Weather details may be checked at: <http://www.bom.gov.au>

APPLICATION PROCESS

Full application instructions can be found at www.crommelin.com.au/full-instructions/

- Apply a trial patch before full application, to ensure the desired finish will be achieved.
- Apply **LiquidStone Clear Coat** in a light and consistent application to all surfaces ensuring complete coverage across the surface profile.
- Leave to dry for 1 hour, apply the second coat also in a light and consistent manner ensuring coverage rates are followed. Do not over apply.
- Protect from moisture until full cure is achieved.

RE-COAT/CURE TIME

- Recoat time: 1 hour.
- Full cure: 7 days.

COVERAGE

- 10m² – 12m² per litre.

CLEAN UP

- Clean all equipment with water before product dries.

SIZES

Crommelin[®] **LiquidStone Clear Coat** is available in 1L cans.

RELATED PRODUCTS

- **Crommelin**[®] Moisture Meter.
- **Crommelin**[®] Contractor Membrane Applicator Brush – 100mm, 75mm.
- **Crommelin**[®] LiquidStone Surface Primer.
- **Crommelin**[®] LiquidStone Colour.

MAINTENANCE AND REPAIR

- Protect **LiquidStone Clear Coat** from harsh chemicals, abrasion and other potentially damaging conditions.

PRECAUTIONS

- Ensure substrate is completely dry before application.
- Ensure adequate surface preparation is carried out to allow even application.
- Ensure a trial patch is applied to ensure desired result is achieved.
- Ensure any existing coatings are compatible or removed prior to application.
- Do not apply during periods of extreme weather conditions – temperature or humidity. Apply between 10⁰c and 35⁰c and less than 85% humidity. To check these conditions, refer to <http://www.bom.gov.au>

TRANSPORT AND STORAGE

- | | | | |
|-----------------|--------------------|------------------------|-------------------------|
| • Size: 1L | • Weight: 1kg | • Cool and Dry Storage | • UN Number: N/A |
| • DG Class: N/A | • Flash Point: N/A | • Hazchem Code: N/A | • Poisons Schedule: N/A |

SAFETY AND FIRST AID

Crommelin[®] LiquidStone Clear Coat Safety Data Sheet is available from Crommelin[®] upon request.

Safety

- Ensure good ventilation and avoid breathing vapours.
- Avoid skin and eye contact. Wear gloves and eye protection. Remove splashes on skin immediately and remove contaminated clothing.
- Keep out of reach of children.
- Keep container sealed when not in use.
- Do not swallow.

First Aid

- If poisoning occurs, contact a doctor or poisons information centre: Ph. 13 11 26.
- If swallowed, do not induce vomiting. Give a glass of water to drink.
- If in eyes, hold eyes open and flood with water for at least 15 minutes.
- If not breathing, apply artificial respiration.

Crommelin[®] and other marks followed by ® are registered trademarks.

Any advice, recommendation, information, assistance or service provided by Crommelin[®] in relation to its products or their use is given in good faith, however is provided without responsibility or liability.

Customers need to undertake their own assessment to determine the suitability of a product for the intended use. As the performance of any product is subject to a wide variety of different surface types as well as environmental and surface-specific conditions, it is essential that a sample of the product be applied to the intended area of use to ensure it is acceptable in appearance and finish and that it performs as required on the specific surface.

Crommelin[®] also reserves the right to update information without prior notice, to reflect ongoing research and product development.