



Supaflow

Non-staining plasticizer for cement mortars.

DESCRIPTION

Crommelin[®] Supaflow is a non staining plasticizer or air-entraining agent for cement mortars. It entrains minute air bubbles in the mix which act like ball bearings to produce an extremely workable or “fatty” mortar.

Cement mortars containing Crommelin[®] Supaflow are strong, durable and economical.

FEATURES AND BENEFITS

- Improves mortar workability, especially those containing harsh or poorly graded sands.
- Extends the life of mortars in hot weather.
- Increases the final strength of mortars.
- Increases workability in coloured mortar where lime is not desired.

AREAS OF USE

Supaflow is suitable for use in the following areas:

- Cement mortars.
- Concrete.
- Cement screeds.

PRODUCT PREPARATION

- Supaflow is ready to use.

APPLICATION CONDITIONS

- Use only in conditions where the application of cementitious mortars is suitable.

APPLICATION PROCESS

- **Supaflow** is fully effective only when used in a cement mixer.
- Add **Supaflow** to the batching water at the rate of 1L per 200L of water, depending upon the “fattiness” of the sand being used.
- Allow mortar to mix for at least two minutes to obtain maximum effectiveness.

COVERAGE

- 1L will treat enough mortar to lay approximately 2000 bricks.

CLEAN UP

- Clean all equipment with water before mortar dries.

SIZES

- Supaflow is available in 4L and 20L pails.

TRANSPORT AND STORAGE

- Size: 4L, 20L
- Weight: 4kg, 20.5kg
- Cool and Dry Storage
- UN Number: N/A

SAFETY AND FIRST AID

Crommelin[®] Supaflow Safety Data Sheet is available from Crommelin[®] upon request.

Safety

- Ensure good ventilation and avoid breathing vapours.
- Avoid skin and eye contact. Wear gloves and eye protection. Remove splashes on skin immediately and remove contaminated clothing.
- Keep out of reach of children.
- Keep container sealed when not in use.
- Do not swallow.

First Aid

- If poisoning occurs, contact a doctor or poisons information centre: Ph. 13 11 26.
- If swallowed, do not induce vomiting. Give a glass of water to drink.
- If in eyes, hold eyes open and flood with water for at least 15 minutes.
- If not breathing, apply artificial respiration.

Crommelin[®] and other marks followed by ® are registered trademarks.

Any advice, recommendation, information, assistance or service provided by Crommelin[®] in relation to its products or their use is given in good faith, however is provided without responsibility or liability.

Customers need to undertake their own assessment to determine the suitability of a product for the intended use. As the performance of any product is subject to a wide variety of different surface types as well as environmental and surface-specific conditions, it is essential that a sample of the product be applied to the intended area of use to ensure it is acceptable in appearance and finish and that it performs as required on the specific surface.

Crommelin[®] also reserves the right to update information without prior notice, to reflect ongoing research and product development.