

INSTANT Rust & Bore Stain Remover

Instantly removes rust & bore staining from concrete, paving, stone, timber, CFC sheet, most plastic, glass, tiles & metal.

DESCRIPTION

Crommelin® INSTANT Rust & Bore Stain Remover is a powerful ready to use surface treatment that instantly removes iron staining from most hard exterior surfaces.

FEATURES AND BENEFITS


- Simply spray & rinse
- No scrubbing required
- Effective on most hard surfaces

AREAS OF USE

- Outside walls & floors
- Furniture
- Garden features
- Patios & paths

SUITABLE SUBSTRATES

- Concrete
- Metal
- Paving
- Glass & tiles
- Stone
- Wood & cement sheeting



INSTANT Rust & Bore Stain Remover

Crommelin®
Waterproofing & Sealing Australia since 1957

SURFACE PREPARATION

- Ensure surface is cool to touch – do not apply to hot surfaces.
- The surface must be dry, clean, and contaminant free (including dust, dirt, mould, grease, oil, laitance, curing compounds etc.).
- Protect surrounding surfaces from overspray with plastic sheeting.

PRODUCT PREPARATION

- INSTANT Rust & Bore Stain Remover 750ML is ready to use. Simply shake well prior to use.
- INSTANT Rust & Bore Stain Remover Concentrate 4L is designed to be diluted up to 30% with clean water.
- Simply shake well before diluting in a plastic pump action trigger bottle.
- Dilute up to 30% with water for light to medium staining.
- Use neat on thick, deep staining.

APPLICATION CONDITIONS

- Application temperature between -5°C - +30°C.

APPLICATION PROCESS

- Ensure good airflow during use.
- Spray a complete wet coat onto the stain and leave for 1 to 3 minutes for activation – the area will turn a deep purple colour when reacting with iron staining.
- Lightly agitate the surface with damp sponge or brush.
- Immediately high pressure wash the surface.
- Continue to thoroughly rinse until no further purple reaction occurs.
- For highly stained areas, multiple applications may be necessary. Allow the surface to dry before reapplication.

Note: Do not allow solution or rinsing residue to sit on the surface for extended periods of time, or to dry on the surface.

SIZES

Available in a ready to use 750ml spray bottle and a 4L concentrate.

PRECAUTIONS

- Ensure substrate is completely dry before application.
- Ensure adequate surface preparation is carried out to allow even application.
- Ensure a trial patch is applied to ensure suitability and desired result is achieved.
- Do not apply during periods of extreme weather conditions – temperature or humidity. Apply between -5°C and +30°C and less than 85% humidity. To check these conditions, refer to <http://www.bom.gov.au>

INSTANT Rust & Bore Stain Remover

Crommelin®
Waterproofing & Sealing Australia since 1957

SAFETY AND FIRST AID

Crommelin Instant Rust & Bore Stain Remover Safety Data Sheet is available from Crommelin® upon request.

Safety

- Ensure good ventilation and avoid breathing vapours.
- Avoid skin and eye contact. Wear gloves and eye protection. Remove splashes on skin immediately and remove contaminated clothing.
- Keep out of reach of children.
- Keep container sealed when not in use.
- Do not swallow.

First Aid

- If poisoning occurs, contact a doctor or poisons information centre: Ph. 13 11 26.
- If swallowed, do not induce vomiting. Give a glass of water to drink.
- If in eyes, hold eyes open and flood with water for at least 15 minutes.
- If not breathing, apply artificial respiration.

Crommelin® and other marks followed by ® are registered trademarks.

Any advice, recommendation, information, assistance or service provided by Crommelin® in relation to its products or their use is given in good faith, however is provided without responsibility or liability.

Customers need to undertake their own assessment to determine the suitability of a product for the intended use. As the performance of any product is subject to a wide variety of different surface types as well as environmental and surface-specific conditions, it is essential that a sample of the product be applied to the intended area of use to ensure it is acceptable in appearance and finish and that it performs as required on the specific surface.

Crommelin® also reserves the right to update information without prior notice, to reflect ongoing research and product development.

7 Day Technical Support 1800 655 711

72 Division Street, Welshpool Western Australia 6106 T +61 8 9458 5711 F +61 8 9451 4749
service@crommelin.com.au www.crommelin.com.au