

Non-Hazardous, Non-Dangerous Goods

Please note that this Safety Data Sheet is NOT required by Safework Australia. This is a generic SDS as these products are not considered hazardous by the WHS rules and as such an SDS is not required under Australian law.

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Company Name:	Crommelin	U.N. Number:	N/A
Address:	72 Division Street, Welshpool, WA 6106	Dangerous Goods Class/Subsidiary Risk:	N/A
Telephone:	08 9458 5711	Hazchem Code:	N/A
Emergency Contact:	1800 655 711	Poisons Schedule:	N/A
Products:	<i>Refer below</i>	IATA Code:	N/A
		IMDG Code:	N/A
		Poison Info Lines:	AUS: 13 11 26 NZ: 0800 764 766

Product:

100% Full Acrylic Roof Coating	Liquid Reinforcing Fabric
Acrylic Modifier	LiquidStone Clear Coat
AquaBlock	LiquidStone Colours
AquaBlock Waterproof Exterior Weather-proof Paint	LiquidStone Primer
AquaBlock Waterproof Exterior Render-Effect Weather-proof Paint	Lithium Densifier
Barricade NS	Membryl HVT
Barricade PU-NS Primer	Membryl
Barricade RGB	Next Day Sealer WB
Bitflex	One Coat Rapid Under-tile Waterproofing Membrane
Blackseal Heavy Duty Bitumen Waterproofing Membrane	Ornamental Sealer
Brick & Render Sealer	Pallet Paint
Cemproof Flex-300 Under-tile Waterproof Membrane Part 1 Cromstik	Pond Sealer Clear
Dampco Black	Pond Sealer Colours
Dampco Clear	Powerflex
Decorative Flake	Pro-500 WP Under-tile Waterproof
DiamondTough Anti-slip Additive	PU51
DiamondCoat Polyurethane Interior Concrete Floor Clear Sealer	PVA Encapsulation
DiamondCoat Stone Shield	Rammed Earth Sealer
DiamondCoat Water Based Paving & Concrete Clear Sealer	Rocfloor
DiamondTough Concrete & Paving Clear Sealer – Water Based	Roof Defence
DiamondTough Indoor Polyurethane Concrete Floor Clear Sealer	Safecure 20
DiamondTough Stone Shield	Shower Waterproofing Membrane
Elastoseal HD	Silica-300
Elastoseal TR	Silicone WP Plus
Enhance WB	Slip Resistant Additive
Enhance WSI	Sportsline
Exterior Grade Waterproofing (Brushable)	Stain Repel
Fibroseal Topcoat	Supaflow
Fix and Finish Colour	Tile-on-Tile hi-performance primer for non-porous
Gecko Slip Resistive Aggregates (Fine, Medium & Coarse) Grout	surfaces Timber Restorer & Sealer
Sealer	Water Based Bitumen Paint
Heavy Duty Bitumen Waterproofing Membrane	Water Based Paving & Concrete Sealer
High Performance Bonding Agent	Waterproofing Membrane Surface Primer
High UV Resistant Roof & Wall Waterproofing	Waterproofing Tape
Interior Concrete Dust Proofer & Sealer	Wetite
Limestone & Sandstone Sealer	Wetite Rapid Green
Limestone Sealer	Wetite Rapid Grey

Non-Hazardous, Non-Dangerous Goods

2. HAZARDS IDENTIFICATION

These materials are non-hazardous according to the criteria of Safe Work Australia GHS 7.

Pictograms not required.

Signal Word:

n/a

Hazard Classifications:

n/a

Hazard Statements:

n/a

Prevention Precautionary Statements:

n/a

Response Precautionary Statements:

n/a

Storage Precautionary Statements:

n/a

Disposal Precautionary Statement:

n/a

Poison Schedule: n/a

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods.

Dangerous Goods Class: n/a

3. COMPOSITION / INFORMATION

CHEMICAL ENTITY:	CAS NO:	PROPORTION:
No hazardous ingredients	n/a	n/a

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure – avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. If breathing laboured and patient cyanotic (blue), ensure airways are clear and have a qualified person give oxygen through a facemask. If breathing has stopped apply artificial respiration at once. In the event of cardiac arrest, apply external cardiac massage. Seek immediate medical advice.

Skin Contact: If skin or hair contact occurs, immediately remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a Doctor; or for 15 minutes and transport to Doctor or Hospital. For gross contamination, immediately drench with water and remove clothing. Continue to flush skin and hair with plenty of water (and soap if material is insoluble). For skin burns, cover with a clean, dry dressing until medical help is available. If blistering occurs, do NOT break blisters. If swelling, redness, blistering, or irritation occurs seek medical assistance.

Non-Hazardous, Non-Dangerous Goods

Eye contact: If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a Doctor; or for at least 15 minutes and transport to Doctor or Hospital.

Ingestion: Immediately rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Immediately call Poisons Centre or Doctor.

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses, respirator. Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: n/a

Suitable extinguishing media: Not combustible however, if material is involved in a fire use fine water spray, normal foam, or dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Not flammable or combustible, but under fire conditions, following evaporation of the aqueous component, the organic components may decompose and/or burn and may emit toxic fumes including carbon monoxide, carbon dioxide, and traces of polymer monomers.

Firefighting further advice: Firefighters should wear self-contained breathing apparatus and full protective clothing to prevent exposure to vapours, fumes, and products of combustion, and water spray may be used to cool heat-exposed containers.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Avoid accidents, clean up immediately. Wear appropriate PPE to minimise exposure. Absorb spilt product with the use of inert absorbent material, sand or earth. Collect and place in labelled containers. Dispose as per local, state and federal government regulations. Do not allow large spills to enter drains or sewers, inform local water authorities and EPA in accordance with local regulations.

7. HANDLING AND STORAGE

Handling: Avoid inhalation, skin contact and eye contact. Wear appropriate personal protective equipment to minimise exposure. Use in areas with adequate ventilation. Practice good personal hygiene. Keep containers closed when not in use.

Storage: Store in a cool, dry, well-ventilated place away from incompatible materials such as strong acids, strong bases and oxidising agents. Protect from freezing and physical damage. Keep containers tightly closed when not in use. Store out of reach of children.

These materials is not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG) and does not require special storage conditions under transport regulations. These materials is not a Scheduled Poison and does not require storage under poisons regulations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits: No occupational exposure limits have been established for these products by Safe Work Australia.

Biological Limit Values: No biological exposure limit has been allocated for the ingredients in these products, as published by Safe Work Australia.

Non-Hazardous, Non-Dangerous Goods

Engineering measures: No special engineering controls are required. Use with good general ventilation to maintain airborne concentrations as low as practicable. Where vapours or mists are generated, local exhaust ventilation should be used to draw airborne contaminants away from the breathing zone.

Personal protective equipment: Personal protective equipment (PPE) should be selected based on the task being performed and the potential level of exposure. PPE must be suitable for the nature of the work and any hazard associated with the use of these products.

Wear safety glasses, protective clothing and chemical-resistant gloves where there is a risk of eye or skin contact. Respiratory protection is not normally required; however, if ventilation is inadequate or vapours or mists are generated, use an approved respirator fitted with a suitable organic vapour filter.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using these products. Wash hands thoroughly after handling and before eating, drinking or smoking. Avoid contact with clothing. Wash contaminated clothing and protective equipment before re-use. Ensure eyewash stations and safety showers are available near the work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	Various
Colour:	Various
Odour:	Various
Solubility:	Various
Specific Gravity:	Various
Relative Vapour Density (air=1):	Not Available
Vapour Pressure:	Not Available
Flash Point (°C):	n/a
Explosion/Flammability Limits:	n/a
Autoignition Temperature (°C):	n/a
Melting Point/Range (°C):	Various
Boiling Point/Range (°C):	Various
pH:	Various
Viscosity:	Various
Total VOC (g/Litre):	Various

10. STABILITY AND REACTIVITY

Chemical stability: These products are stable under normal conditions of storage and use.

Conditions to avoid: Avoid exposure to extreme temperatures, freezing and conditions that may cause physical damage to containers.

Incompatible materials: Incompatible with strong oxidising agents, strong acids and strong bases.

11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected if these products are handled in accordance with this Safety Data Sheet and the products label. Symptoms or effects that may arise if these products are mishandled or overexposure occurs are described below.

Inhalation: May cause mild irritation to the respiratory tract if inhaled in high concentrations.

Skin contact: Prolonged or repeated contact may cause mild skin irritation.

Ingestion: Swallowing may cause mild gastrointestinal discomfort, nausea or irritation if ingested in large quantities.

Non-Hazardous, Non-Dangerous Goods

Eye contact: May cause mild eye irritation.

Chronic Effects: Not available

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: No information available.

Long-term aquatic hazard: No information available.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protective equipment is used, as described in Section 8 of this Safety Data Sheet.

If possible, the material and its container should be recycled. If recycling is not practicable, dispose of the material and container in accordance with local, regional, national and international regulations. Do not discharge these products into drains, waterways or sewers.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG) or the New Zealand NZS 5433: Transport of Dangerous Goods on Land.

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG). These materials are not classified as a Marine Pollutant.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations.

15. REGULATORY INFORMATION

These materials are not classified as Hazardous according to the criteria of the National Occupational Health and Safety Commission (NOHSC), Australia.

Not classified as Scheduled Poison according to the Standard for the Uniform of Drugs and Poisons (SUSDP).

All chemicals are listed on the Australian Industrial Chemicals Introduction Scheme (AICIS) Inventory.

16. OTHER INFORMATION

Date of issue: January 2026

Previous Issue: May 2021

The information contained in this Safety Data Sheet is prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to the extent believed to be accurate. However, no guarantee of accuracy is made or implied, and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer shall not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer, it is your duty to inform your employees and any other persons who may be affected of any hazards described in this Safety Data Sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.